



 EZBUILD

PRODUCT CATALOG

Creating Unforgettable Stays in Nature

At Ezbuild, we provide eco-conscious luxury glamping tents that blend seamlessly with Australia's breathtaking landscapes. Designed for holiday parks, boutique resorts, wineries, and private retreats, our tents offer a harmonious balance of comfort, style, and sustainability. From romantic escapes to spacious family stays, every tent can be tailored with features like private decks and ensuite pods—elevating the outdoor experience to something truly unforgettable.



ECO-LUXURY TENTS

—WHERE NATURE MEETS DESIGN—

Ezbuild creates premium eco-luxury tents that combine aesthetics, comfort and environmental harmony.

Ideal for resorts, boutique campsites, vineyards and private retreats, our tents are fully customizable to accommodate diverse guest needs—from romantic getaways to spacious family retreats.

Designed with the Australian landscape in mind, these structures can include private decks, ensuite bathrooms and climate-adaptive materials.

Ezbuild tents elevate outdoor accommodation into immersive, high-end experiences that seamlessly blend with nature.

Heavy R&D

More than 200 patents

With 12 years of intensive cultivation in the industry, we have been awarded the honors of sustainable development enterprise, etc.; we have 200+ patents of invention, appearance, and utility, and we have the qualifications of CE certification, SGS certification, and ISO9001 certification.



Trusted by thousands of users worldwide



To date, we have completed over 5,000 projects worldwide, with our products exported to more than 70 countries and regions. We have also managed multiple multi-million-dollar projects.



Comprehensive one-stop problem solving for all your needs



Professional team, for global customers to provide planning and design, customized production, construction and erection of one-stop service

01 SERVICE PROCESS



02 INSTALLATION MODE



03 AFTER-SALES SERVICE



TENT HOUSE

The conical roof design efficiently channels airflow to reduce strong wind impact and prevent rain and snow accumulation. The structure features a PVDF architectural membrane tarpaulin, combined with a main frame of metal and broken-bridge aluminium hollow glass, providing excellent seismic resistance, thermal insulation, and soundproofing performance.



ROOFING SYSTEM

- ① 1050g-PVDF Architectural Membrane
- ② 850g Inner Tent Coated Fabric
- ③ 4MM Rustproof Steel Structural Scaffolding
- ④ Substrate And Insulation
- ⑤ Veneer/Fabric Ceiling

WALL SYSTEM



- ① Aluminum Insulating Glass
- ② Wood-Plastic Exterior Panels
- ③ Quick-Fit Composite Wall Panels
- ④ Polypropylene Waterproofing
- ⑤ Bamboo Wood Fiberboard



GROUND SYSTEM

- ① Spc Waterproof Flooring /Multi-Layer Solid Wood Flooring
- ② Plastic Wood Flooring /20mm Cement Board
- ③ Galvanized Steel

PERFORMANCE



Lifespan Up
To 20 Years



Wind
Resistance
Level 10



Flame
Retardant



Moisture-
proof & Mildew-
proof



Adapts to
-30° C to 60° C

TENT HOUSE SERIES OVERVIEW

Ω



Z30 6m*6m
INTERIOR: 28.6m² | SIDE /TOP HEIGHT: 2.6m/6m
Z64 6.4m*11.2m
INTERIOR: 63m² | SIDE /TOP HEIGHT: 2.8m/6m



ZT42 6m*9.2m
INTERIOR: 40.4m² | SIDE /TOP HEIGHT: 2.8m/6m
ZT60 6.3m*12.5m
INTERIOR: 60m² | SIDE /TOP HEIGHT: 2.8m/6m



M40 5m*8m
INTERIOR: 39m² | SIDE /TOP HEIGHT: 2.6m/5.6m
M74 5.5m*13.5m
INTERIOR: 72m² | SIDE /TOP HEIGHT: 2.6m/6m



H23 5.3m*5.3m
INTERIOR: 23m² | SIDE /TOP HEIGHT: 2.5m/5.4m



H28 3.8m*7.8m
INTERIOR: 26m² | SIDE /TOP HEIGHT: 2.5m/5m



HX28 3.8m*7.8m
INTERIOR: 25.8m² | SIDE /TOP HEIGHT: 2.5m/5.5m
HX58 5.6m*11.3m
INTERIOR: 56.8m² | SIDE /TOP HEIGHT: 2.5m/5.2m



HM28 3.8m*7.8m
INTERIOR: 26m² | SIDE /TOP HEIGHT: 2.5m/5.3m
HM58 5.6m*11.3m
INTERIOR: 57m² | SIDE /TOP HEIGHT: 2.5m/5.8m



X32 8m*10.7m
INTERIOR: 32m² | SIDE /TOP HEIGHT: 2.2m/4.6m
XP32 10.9m*10.6m
INTERIOR: 32m² | SIDE /TOP HEIGHT: 2.2m/4.6m



X75 9.1m*18.6m
INTERIOR: 75m² | SIDE /TOP HEIGHT: 2.2m/5.1m
XP75 12.8m*19.8m
INTERIOR: 92.4m² | SIDE /TOP HEIGHT: 2.2m/5.1m



Y105 7m*15m
INTERIOR: 102.8m² | SIDE /TOP HEIGHT: 3m/6.6m



Y300 10m*30m
INTERIOR: 297m² | SIDE /TOP HEIGHT: 3m/8.6m



YM200 16.6m*30.8m
INTERIOR: 200m² | SIDE /TOP HEIGHT: 2.5m/7m
YM500 30m*52m
INTERIOR: 500m² | SIDE /TOP HEIGHT: 2.5m/8.2m

SAFARI TENTS

Featuring a top triangular design and a sturdy camphor pine solid wood frame, our tents use inner and outer fabrics crafted from natural canvas and durable PVC-coated cloth. This combination not only creates a simple, natural look but also ensures superior moisture-proof, mould-proof, wind-resistant, and shock-resistant performance—perfect for lasting comfort and reliability.



ROOFING SYSTEM

- ① 850g-PVC Coated Fabric/550g-TC Canvas
- ② Imported Camphor Pine Solid Wood Frame
- ③ Rust-Proof Steel Connectors



WALL SYSTEM

- ① Semi-Shaded Canvas
- ② Waterproof PVC Tarpaulin
- ③ Fly screen
- ④ 450G Canvas Fabric
- ⑤ Insulation Fabric



GROUND SYSTEM

- ① Spc Waterproof Flooring /Multi-Layer Solid Wood Flooring
- ② Plastic Wood Flooring /20mm Cement Board
- ③ Galvanized Steel


PERFORMANCE



Lifespan Up To 12 Years



Wind Resistance Level 8



Flame Retardant



Moisture-proof & Mildew-proof



Adapts to -15° C to 60° C



A15 3.5m*4.2m
INTERIOR: 13m² | TOP HEIGHT: 2.8m



AX17 3.5m*5m
INTERIOR: 11m² | TOP HEIGHT: 3.2m



AL30 5m*6m
INTERIOR: L1/9.8m²+L2/9.2m² | TOP HEIGHT: 2.8m



B32 4.5m*7m
INTERIOR: 22m² | SIDE /TOP HEIGHT: 2.1m/4.2m
B40 5m*8m
INTERIOR: 25m² | SIDE /TOP HEIGHT: 2.1m/4.5m



BS35 5m*6.8m
INTERIOR: 23m² | SIDE /TOP HEIGHT: 2.5m/4.3m
BS48 6m*8m
INTERIOR: 34m² | SIDE /TOP HEIGHT: 2.5m/4.3m



BL45 5m*9m
INTERIOR: L1/31m²+L2/20m² | TOP HEIGHT: 5m



E32 4.5m*7m
INTERIOR: 21.5m² | SIDE /TOP HEIGHT: 2.2m/4m
E40 5m*8m
INTERIOR: 25m² | SIDE /TOP HEIGHT: 2.2m/4m



EC32 4.5m*7m
INTERIOR: 22m² | SIDE /TOP HEIGHT: 2.2m/4m
EC40 5m*8m
INTERIOR: 25m² | SIDE /TOP HEIGHT: 2.2m/4m

STRETCH TENTS

The design breaks away from conventional linear architectural styles by incorporating elegant curved surfaces that balance rigidity with flexibility, strength with beauty. The multi-wave spire not only enhances visual appeal but also expands interior space, providing greater freedom of movement.



ROOFING SYSTEM

- ① 550gms Mesh PVC-coated Fabric
- ② 550gsm High Performance Canvas
- ③ Rust-Proof Steel Connectors



WALL SYSTEM

- ① Semi-Shaded Canvas
- ② Waterproof PVC Tarpaulin
- ③ Fly screen
- ④ 450G Canvas Fabric
- ⑤ Insulation Fabric



GROUND SYSTEM

- ① Spc Waterproof Flooring /Multi-Layer Solid Wood Flooring
- ② Plastic Wood Flooring /20mm Cement Board
- ③ Galvanized Steel

PERFORMANCE



Lifespan Up To 15 Years



Wind Resistance Level 8



Flame Retardant



Moisture-proof & Mildew-proof



Adapts to -15°C to 60°C

STRETCH TENTS SERIES OVERVIEW

β



R24 6.5m*9.5m

INTERIOR: 24.8m² | SIDE /TOP HEIGHT: 2.4m/5m

R36 8.8m*10.8m

INTERIOR: 37.2m² | SIDE /TOP HEIGHT: 2.4m/4.7m

R60 9m*14.6m

INTERIOR: 60m² | SIDE /TOP HEIGHT: 2.4m/5.4m



RT32 8.5m*11.4m

INTERIOR: 33.2m² | SIDE /TOP HEIGHT: 2.4m/5m

RT40 8.3m*12.7m

INTERIOR: 40m² | SIDE /TOP HEIGHT: 2.4m/5m

RT87 11.8m*16.4m

INTERIOR: 90m² | SIDE /TOP HEIGHT: 2.4m/5.6m



G28 13.1m*8m

INTERIOR: 28.8m² | SIDE /TOP HEIGHT: 2.2m/5m

G38 15.8m*8m

INTERIOR: 38.7m² | SIDE /TOP HEIGHT: 2.2m/5.2m



GP28 12.8m*8m

INTERIOR: 28.8m² | SIDE /TOP HEIGHT: 2.2m/5m

GP38 15m*8m

INTERIOR: 38.7m² | SIDE /TOP HEIGHT: 2.2m/5m



T26 8.9m*7.6m

INTERIOR: 26.1m² | SIDE /TOP HEIGHT: 2.2m/4.6m

T35 10m*8m

INTERIOR: 35m² | SIDE /TOP HEIGHT: 2.2m/4.6m



TP26 10.8m*7.6m

INTERIOR: 26.1m² | SIDE /TOP HEIGHT: 2.2m/4.6m

TP35 12m*8m

INTERIOR: 35m² | SIDE /TOP HEIGHT: 2.2m/4.3m

TP50 10.7m*13.5m

INTERIOR: 50m² | SIDE /TOP HEIGHT: 2.2m/5.2m

K100 10.8m*21.8m

INTERIOR: 103.4m² | SIDE /TOP HEIGHT: 2.4m/5.5m

K145 11.2m*27.4m

INTERIOR: 148m² | SIDE /TOP HEIGHT: 2.4m/5.5m


K190 10.6m*28.4m

INTERIOR: 195.7m² | SIDE /TOP HEIGHT: 2.4m/5.8m



TINY HOUSE

The Tiny house is a stylish, comfortable living sanctuary made from energy efficient, durable materials, its modular design adopts seamlessly to diverse geographic and climatic conditions, while being easy to assemble and operate—significantly reducing construction costs.



Roofing Systems

- ① Insulated aluminum tile
- ② Waterproofing layer
- ③ Thermal insulation board
- ④ Aluminum ceiling

Wall Systems



- ① Mesh drawing aluminum plate
- ② Aviation aluminum plate
- ③ Rubber plastic insulation foam
- ④ Polypropylene tarpaulin
- ⑤ Sip insulation board
- ⑥ Waterproof breathable membrane
- ⑦ Red cedarwood

(Order of illustrations from right to left)



GROUND SYSTEM

- ① SPC waterproof flooring
- ② Floor moisture barrier film
- ③ Graphene floor heating (optional)
- ④ Heat-reflective film
- ⑤ Thermal insulation board
- ⑥ Fiberboard
- ⑦ Waterproof breathable membrane

(Order of illustrations from top to bottom)


PERFORMANCE



Lifespan Up
To 30 Years



Wind
Resistance
Level 15



Flame
Retardant



Moisture-
proof & Mildew
-proof



Adapts to
-40° C to 60° C

TINY HOUSE SERIES OVERVIEW



L36

- X1 X1 X1
- 9 X 4 X 3.4 m



L48

- X2 X1 X1
- 12 X 4 X 3.4 m



V36

- X1 X1 X1
- 9 X 4 X 3.4 m



V48

- X2 X1 X1
- 12 X 4 X 3.4 m

GLAMPING DOMES


The spherical structure features an aerospace-grade aluminium alloy frame with a wind resistance rating of 10, ensuring exceptional durability against extreme weather. Its dome design effectively disperses wind forces, while the galvanised steel pipe and double reinforcement with waterproof PVC tarpaulin provide robust protection. Whether facing the cold plateau, humid seaside, or scorching desert, this structure remains stable and secure—offering you a safe and reliable "second" home.



PRODUCT OVERVIEW

- 1 Solar Exhaust Fan
- 2 Door
- 3 Chimney
- 4 Window
- 5 Struts
- 6 Outer Cover
- 7 Insulation Liner
- 8 Transparent Cover
- 9 Curtain & Rail

WALL SYSTEM



- ① 850g-Pvc Coated Fabric /5+9a+5mm Insulated Glass
- ② Sprayed Steel Pipe Bracket /Aluminum Alloy Bracket
- ③ Stainless Steel Screws
- ④ Aluminum Foil Insulation
- ⑤ Oxford Cloth Interior

GROUND SYSTEM



- ① Spc Waterproof Flooring /Multi-Layer Solid Wood Flooring
- ② Plastic Wood Flooring /20mm Cement Board
- ③ Galvanized Steel


PERFORMANCE



Lifespan Up To 15 Years



Wind Resistance Level 11



Flame Retardant



Moisture-proof & Mildew-proof



Adapts to -30° C to 50° C



D28 DIMENSIONS

- MAIN MATERIAL: GALVANIZED PIPE & PVC FABRIC
- MAIN DIMENSION: $\Phi 6m$
- INTERIOR AREA: $28m^2$
- TOP HEIGHT: 3.5m
- OTHER SIZE: $\Phi 5m$ (20 m^2) | $\Phi 7m$ (38 m^2) | $\Phi 8m$ (50 m^2) |
 $\Phi 9m$ (64 m^2) | $\Phi 10m$ (79 m^2)

DX28 DIMENSIONS

- MAIN MATERIAL: ALUMINUM FRAME & INSULATING GLASS PANEL & ALUMINUM PLATE
- MAIN DIMENSION: $\Phi 6.4m$
- INTERIOR AREA: $32m^2$
- TOP HEIGHT: 3.9m
- OTHER SIZE: $\Phi 5.6m$ (25 m^2) | $\Phi 7.4m$ (43 m^2) |
 $\Phi 8.4m$ (56 m^2) | $\Phi 9.4m$ (69 m^2) |
 $\Phi 10.4m$ (85 m^2)




CUSTOMIZED

• Standard ▲ Hardcover ■ Deluxe

Structure: galvanized steel pipe; accessories included	●	▲	■
Outer Cover: double-sided PVC Knife coated fabric; thermal insulated aluminum foil laminated oxford fabric; cotton fabric	●	▲	■
Doors & Windows : Door frames; curtain doors; curtains; curtain rails; screens	●	▲	■
Windows & Doors : Aluminum insulated glass doors; triangular/round glass windows; curtains		▲	■
Configuration : Fireplace combination, skylight with auto sunlight shed , solar exhaust fan		▲	■
Flooring: multi-layer solid wood flooring; aluminum alloy baseboard; moisture proof film		▲	■
Water and electricity: indoor water supply and drainage system, hot and cold water pipe system,main electric box, switch socket pane		▲	■
Bathroom: waterproof floor; composite gate; intelligent toilet; glass partition; washing basin/mirror; hardware accessories		▲	■
Furniture: solid wood bed/cushion; sofa table set; clothes rack; curtains; carpet.			■
Electrical equipment:air conditioning;water heater;lamps			■
Platform: hot-dip galvanized steel frame and anti-corrosive wood board			■


PROJECT CASE

Since the project's inception, the Natural Dweller tent has sold over 50,000 units, reaching more than 300 cities across China and 12 overseas markets. Our camping tents are the preferred choice of global and landowners delivering strong returns for operators and unforgettable experiences for guests.











- 🌐 www.heiyugroups.com.au
- ✉ Info@heiyugroups.com.au
- 📍 Level 2, 1000 La Trobe St, Docklands VIC 3008